

L Number	Hits	Search Text	DB	Time stamp
1	0	(implanter near4 electrode\$2) and ((insert\$5 near4 member) with aperture) and (align\$5 near4 pin\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/09/02 11:04
2	68	implanter near4 electrode\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/09/02 11:06
3	497	((insert\$5 near4 member) with aperture) and (align\$5 near4 pin\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/09/02 11:07
4	0	((implanter near4 electrode\$2) and ((insert\$5 near4 member) with aperture) and (align\$5 near4 pin\$2)) and ((insert\$5 near4 member) with aperture) and (align\$5 near4 pin\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/09/02 11:06
5	17593	aperture and (align\$5 near4 pin\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/09/02 11:35
6	35938	implant\$6 with electrode\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/09/02 11:36
7	24	(aperture and (align\$5 near4 pin\$2)) and (implant\$6 with electrode\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/09/02 11:06
8	5	((aperture and (align\$5 near4 pin\$2)) and (implant\$6 with electrode\$2)) and ((insert\$5 near4 member) or kinematic or (support\$4 near3 frame\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/09/02 11:14
9	4	((aperture and (align\$5 near4 pin\$2)) and (implant\$6 with electrode\$2)) and ((insert\$5 near4 member) or kinematic or (support\$4 near3 frame\$2)) and (spring\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/09/02 11:16
11	7	((aperture and (align\$5 near4 pin\$2)) and (implant\$6 with electrode\$2)) and (spring\$4) and (ion adj implant\$5) and (flange\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/09/02 11:22
13	3	((aperture and (align\$5 near4 pin\$2)) and (implant\$6 with electrode\$2)) and (remov\$5 near3 aperture\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/09/02 11:25
14	0	((aperture and (align\$5 near4 pin\$2)) and (implant\$6 with electrode\$2)) and (removable near3 aperture\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/09/02 11:37
12	2	((aperture and (align\$5 near4 pin\$2)) and (implant\$6 with electrode\$2)) and (spring\$4) and (ion adj implant\$5) and (remov\$5 near3 aperture\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/09/02 11:26
10	10	((aperture and (align\$5 near4 pin\$2)) and (implant\$6 with electrode\$2)) and (spring\$4) and (ion adj implant\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/09/02 11:33

15	936	(378/147-150).ccls.	USPAT; US-PPGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PPGPUB	2004/09/02 11:33
16	736	(378/147-150).ccls.	USPAT;	2004/09/02
17	2118	(250/423R, 424, 492.21, 442.11, 441.11, 443.1, 45\$SPATccls.	US-PPGPUB	11:34
18	2853	((378/147-150).ccls.) or ((250/423R, 424, 492.21, 442.11, 441.11, 443.1, 45\$SPATccls.) or (((378/147-150).ccls.) or ((250/423R, 424, 492.21, 442.11, 441.11, 443.1, 45\$SPATccls.) or and aperture and (align\$5 near4 pin\$2)	US-PPGPUB	2004/09/02 11:35
19	26	USPAT; USPAT; US-PPGPUB	2004/09/02 11:35	
20	202	((378/147-150).ccls.) or ((250/423R, 424, 492.21, 442.11, 441.11, 443.1, 45\$SPATccls.) or and (implant\$6 with electrode\$2)	USPAT; US-PPGPUB	2004/09/02 11:36
22	0	((((378/147-150).ccls.) or ((250/423R, 424, 492.21, 442.11, 441.11, 443.1, 45\$SPATccls.) or and aperture and (align\$5 near4 pin\$2)) and (((378/147-150).ccls.) or ((250/423R, 424, 492.21, 442.11, 441.11, 443.1, 45\$SPATccls.) or and (implant\$6 with electrode\$2))) and (removable near3 aperture\$2)	USPAT; US-PPGPUB	2004/09/02 11:37
23	0	((((378/147-150).ccls.) or ((250/423R, 424, 492.21, 442.11, 441.11, 443.1, 45\$SPATccls.) or and aperture and (align\$5 near4 pin\$2)) and (((378/147-150).ccls.) or ((250/423R, 424, 492.21, 442.11, 441.11, 443.1, 45\$SPATccls.) or and (implant\$6 with electrode\$2))) and (chang\$6 near3 aperture\$2)	USPAT; US-PPGPUB	2004/09/02 11:37
21	6	((((378/147-150).ccls.) or ((250/423R, 424, 492.21, 442.11, 441.11, 443.1, 45\$SPATccls.) or and aperture and (align\$5 near4 pin\$2)) and (((378/147-150).ccls.) or ((250/423R, 424, 492.21, 442.11, 441.11, 443.1, 45\$SPATccls.) or and (implant\$6 with electrode\$2))	USPAT; US-PPGPUB	2004/09/02 11:38